



### Pathology Checklist

Your name \_\_\_\_\_

Your age \_\_\_\_\_

Menopausal status: Premenopausal \_\_\_ Postmenopausal \_\_\_\_\_

Your hospital number \_\_\_\_\_

Your hospital \_\_\_\_\_

#### Your doctors

Primary care \_\_\_\_\_

Surgeon \_\_\_\_\_

Medical oncologist \_\_\_\_\_

Radiation oncologist \_\_\_\_\_

Date of biopsy/surgery \_\_\_\_\_

Place of biopsy/surgery \_\_\_\_\_

Name of doctor doing procedure \_\_\_\_\_

Place of pathological reading \_\_\_\_\_

Name of pathologist \_\_\_\_\_

Pathology reference number \_\_\_\_\_

#### Specimen type

Biopsy: Core (needle) \_\_\_\_\_ Surgical \_\_\_\_\_

Lumpectomy \_\_\_\_\_

Mastectomy \_\_\_\_\_

#### Lymph node sampling

Axillary node dissection \_\_\_\_\_

Sentinel node biopsy \_\_\_\_\_

#### Specimen size (for excisions less than total mastectomy)

Greatest dimension (cm) \_\_\_\_\_

Additional dimensions \_\_\_\_\_

#### Side of tumor

Right \_\_\_\_\_

Left \_\_\_\_\_

Tumor site

Upper outer quadrant \_\_\_\_\_  
Lower outer quadrant \_\_\_\_\_  
Upper inner quadrant \_\_\_\_\_  
Lower inner quadrant \_\_\_\_\_  
Central \_\_\_\_\_

Microscopic

Invasive or in situ

In situ

Ductal carcinoma in situ (DCIS) \_\_\_\_\_  
Lobular carcinoma in situ (LCIS) \_\_\_\_\_  
Ductal and lobular in situ \_\_\_\_\_  
Paget's disease in the nipple \_\_\_\_\_

Invasive/Infiltrating

Ductal \_\_\_\_\_  
Tubular \_\_\_\_\_  
Mucinous \_\_\_\_\_  
Adenoid cystic \_\_\_\_\_  
Inflammatory \_\_\_\_\_  
Secretory \_\_\_\_\_  
Medullary \_\_\_\_\_  
Papillary \_\_\_\_\_  
Undifferentiated \_\_\_\_\_  
Not otherwise specified (NOS) \_\_\_\_\_  
Lobular \_\_\_\_\_

Size of invasive tumor in greatest dimension

Less than 2 cm

Less than 0.1 cm (microinvasion) \_\_\_\_\_  
Between 0.1 cm–0.5 cm \_\_\_\_\_  
Between 0.5 cm–1 cm \_\_\_\_\_  
Between 1 cm–2 cm \_\_\_\_\_

Between 2 cm–5 cm \_\_\_\_\_

Greater than 5 cm \_\_\_\_\_

Any size with direct extension to

Chest wall \_\_\_\_\_

Edema (swelling) \_\_\_\_\_

Both chest wall and edema \_\_\_\_\_

Inflammatory carcinoma \_\_\_\_\_

### Histology

Grade of tumor

Low \_\_\_\_\_

Moderate \_\_\_\_\_

High \_\_\_\_\_

Differentiation

Low \_\_\_\_\_

Moderate \_\_\_\_\_

High \_\_\_\_\_

Mitosis

Low \_\_\_\_\_

High \_\_\_\_\_

Lympho/vascular invasion

Positive \_\_\_\_\_

Negative \_\_\_\_\_

Extent of DCIS associated with the tumor (EIC) \_\_\_\_\_

### Margins

Negative

No tumor within 1 cm or no residual tumor \_\_\_\_\_

No tumor within 1 mm of margin \_\_\_\_\_

Tumor focally (at one spot) next to a margin \_\_\_\_\_

Positive

Invasive tumor involving the inked margin \_\_\_\_\_

In situ tumor involving inked margin \_\_\_\_\_

## Markers

### Hormones

Estrogen receptor positive/progesterone receptor positive \_\_\_\_\_

Estrogen receptor positive/progesterone receptor negative \_\_\_\_\_

Estrogen receptor negative/progesterone receptor positive \_\_\_\_\_

Estrogen receptor negative/progesterone receptor negative \_\_\_\_\_

### Her-2/neu

Negative \_\_\_\_\_

Positive \_\_\_\_\_

By IHC \_\_\_\_\_

By FISH \_\_\_\_\_

### Others

P 53 positive \_\_\_\_\_

Ki 67 \_\_\_\_\_

S phase \_\_\_\_\_

## Axillary lymph nodes

No lymph nodes \_\_\_\_\_

Lymph nodes negative \_\_\_\_\_

Negative on histology but positive on IHC \_\_\_\_\_

Negative on histology but positive on RTPCR \_\_\_\_\_

Lymph nodes positive

1-3 nodes positive \_\_\_\_\_

4-9 nodes positive \_\_\_\_\_

10 or more positive \_\_\_\_\_